



PREMIER MEDICAL LABORATORY, INC
 35-37 Progress St., Suite B6
 Edison, NJ 08820
 Ph# (908) 754-4300
 Fx# (908) 754-4301

COMPLETE

Doctor: Premier Medical Laboratory	Patient: TEST, ADULT M	Acc #: 845201
Address: 35-37 Progress St., ste A2	Birth: 08/05/1951	Home Phone: (732)776-3919
CSZ: Edison, NJ 08820	Age: 71	Collection Date: 03/16/2023 11:55 AM
Location:	Gender: Male	Received Date: 03/16/2023 11:55 AM

Result Comment:

Test Name	In Range	Outside Range	Reference Range	Units
Hepatitis B Core total Ab	2.00		>1.10	Index
NON-REACTIVE Reported: 03/16/2023 12:22 PM				
Hepatitis B Core IgM Ab	0.00		0 - 0.70	Index
INTERPRETATION (Index): NONREACTIVE <0.70 EQUIVOCAL 0.70 - 0.90 REACTIVE >0.90 Reported: 03/16/2023 12:22 PM				
Hepatitis B Surface Antibody	5.00		0 - 8.99	mIU/mL
INTERPRETATION (mIU/mL): NEGATIVE <9.00 EQUIVOCAL 9.00 - 11.00 POSITIVE >11.00 Reported: 03/16/2023 12:22 PM				
Hepatitis B Surface Ag	NON-REACTIVE		NON-REACTIVE	
Reported: 03/16/2023 12:22 PM				
Hepatitis C Ab	2.0	HIGH	< 0.8	S/CO
INTERPRETATION (Index): NONREACTIVE <0.8 EQUIVOCAL 0.8 - 1.0 REACTIVE >=1.0 Reported: 03/16/2023 12:22 PM				
TREPONEMA	0.00		0 - <0.9	INDEX
INTERPRETATION (INDEX): NEGATIVE < 0.9 EQUIVOCAL 0.9 - < 1.1 POSITIVE >= 1.1 Reported: 03/16/2023 12:22 PM				
HSV 1/2 IGG	Reported: 03/16/2023 12:22 PM			
HSV 1 IGG	0.00		0 - <0.90	INDEX
INTERPRETATION (INDEX): NEGATIVE < 0.9 EQUIVOCAL 0.9 - < 1.1 POSITIVE >= 1.1				
HSV 2 IGG	0.00		0 - <0.9	INDEX
INTERPRETATION (INDEX): NEGATIVE < 0.9 EQUIVOCAL 0.9 - < 1.1 POSITIVE >= 1.1				
SARS-CoV-2 (Novel Coronavirus 19) IgG	NEGATIVE		NEGATIVE	AU/mL
Results Interpretation: Normal Range 0 - 12.9 UA/mL				

Report Date: 03/16/2023 12:22 PM

Printed: 03/16/2023 12:22 PM

Page 1 of 3

Donald L. Warkentin, PhD

Laboratory Director for NYS + NJ



PREMIER MEDICAL LABORATORY, INC
35-37 Progress St., Suite B6
Edison, NJ 08820
Ph# (908) 754-4300
Fx# (908) 754-4301

COMPLETE

Doctor:	Premier Medical Laboratory	Patient:	TEST, ADULT M	Acc #:	845201
Address:	35-37 Progress St., ste A2	Birth:	08/05/1951	Home Phone:	(732)776-3919
CSZ:	Edison, NJ 08820	Age:	71	Collection Date:	03/16/2023 11:55 AM
Location:		Gender:	Male	Received Date:	03/16/2023 11:55 AM

Result Comment:

Test Name	In Range	Outside Range	Reference Range	Units
-----------	----------	---------------	-----------------	-------

NEGATIVE < 13 AU/mL
 POSITIVE >= 13 AU/mL
 This test has been authorized by FDA under an EUA only for the detection of IgG antibodies against SARS-CoV-2 in human serum. This test is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of in vitro diagnostic tests for detection and/or diagnosis of COVID-19 under Section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.
 -Negative results do not preclude acute SARS-CoV-2 infection. If acute infection is suspected, direct testing for SARS-CoV-2 is necessary.
 -False positive results for LIAISON SARS-CoV-2 S1/S2 IgG may occur due to cross-reactivity from pre-existing antibodies or other possible causes.
 Reported: 03/16/2023 12:22 PM

HIV AG/AB IMMUNOASSAY **NON-REACTIVE** **NON-REACTIVE**

Findings are preliminary. Sample sent out for confirmation for "reactive" results.
 Reported: 03/16/2023 12:22 PM

EBV (Epstein-Barr Virus) Ab Panel

Reported: 03/16/2023 12:22 PM

EBV EA (EARLY ANTIGEN) IgG **0.0** 0 - < 9.0 U/mL

<9.0 U/mL - Negative
 9 - 10.9 U/mL - Equivocal
 >=11.0 U/mL - Positive

EBV NUCLEAR Ag IgG **0.0** 0 - < 18.0 U/mL

<18.0 U/mL - Negative
 18.0 - 21.9 U/mL - Equivocal
 >=22.0 U/mL - Positive

EBV Viral Capsid Ag IgG **0.0** 0 - < 18.0 U/mL

<18.0 U/mL - Negative
 18.0 - 21.9 U/mL - Equivocal
 >=22.0 U/mL - Positive

EBV IgM **0.0** 0 - < 36.0 U/mL

<36.0 U/mL - Negative
 36.0 - 43.9 U/mL - Equivocal
 >=44.0 U/mL - Positive

LYME (Borrelia Burgdoferi) AB **0.00** <0.9 INDEX

INTERPRETATION (INDEX):
 NEGATIVE < 0.90
 EQUIVOCAL 0.90 - < 1.10
 POSITIVE >= 1.10
 Reported: 03/16/2023 12:22 PM

Hepatitis A Ab total **NEGATIVE** >= 1.10 Index

INTERPRETATION (mIU/mL):
 NEGATIVE >=1.10
 EQUIVOCAL 0.09 - 1.10
 POSITIVE <0.09
 Reported: 03/16/2023 12:22 PM

Hepatitis A IgM **0.00** < 0.9 Index



PREMIER MEDICAL LABORATORY, INC
35-37 Progress St., Suite B6
Edison, NJ 08820
Ph# (908) 754-4300
Fx# (908) 754-4301

COMPLETE

Doctor: Premier Medical Laboratory	Patient: TEST, ADULT M	Acc #: 845201
Address: 35-37 Progress St., ste A2	Birth: 08/05/1951	Home Phone: (732)776-3919
CSZ: Edison, NJ 08820	Age: 71	Collection Date: 03/16/2023 11:55 AM
Location:	Gender: Male	Received Date: 03/16/2023 11:55 AM

Result Comment:

Test Name	In Range	Outside Range	Reference Range	Units
INTERPRETATION (Index): NONREACTIVE <0.90 EQUIVOCAL 0.90 - 1.10 REACTIVE >=1.10 Reported: 03/16/2023 12:22 PM				
Varicella IgG	50.0		0 - 134.9	Index
INTERPRETATION (INDEX): NEGATIVE <135 EQUIVOCAL 135 - 164 POSITIVE >=165 Reported: 03/16/2023 12:22 PM				
MMR				
Reported: 03/16/2023 12:22 PM				
MEASLES IgG	10.0		0 - 13.4	AU/mL
INTERPRETATION (AU/mL): NEGATIVE <13.5 EQUIVOCAL 13.5 - 16.5 POSITIVE >16.5				
MUMPS IgG	5.0		0 - 8.9	AU/mL
INTERPRETATION (AU/mL): NEGATIVE <9.0 EQUIVOCAL 9.0 - 10.9 POSITIVE >=11.0				
RUBELLA IgG		2.00	HIGH	0 - 0.89
INTERPRETATION (INDEX): NEGATIVE <0.9 EQUIVOCAL 0.9 - <1.0 POSITIVE >=1.0				

Out of Range Results:			
Test Name	Result	Flag	Reference Range
Hepatitis C Ab	2.0	HIGH	0.8
RUBELLA IgG	2.00	HIGH	0 - 0.89

Report Date: 03/16/2023 12:22 PM

Printed: 03/16/2023 12:22 PM

Page 3 of 3

Donald L. Warkentin, PhD

Laboratory Director for NYS + NJ